



Epoxy-MVB-Hardener

EPOXY MOISTURE VAPOR BARRIER HARDENER
100% Solids

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product Name: 100%EPOXY MOISTURE VAPOR BARRIER HARDENER

Product Code: Epoxy-MVB-Hardener

Coatary LLC
6108 W 9790 S
West Jordan, UT 84081

EMERGENCY CONTACT: **PERS**
DOMESTIC & CANADA : (800) 633-8253
INTERNATIONAL: (801) 629-0667

SECTION 2. HAZARDS IDENTIFICATION

GLOBALLY HARMONIZED SYSTEM (GHS)

RESPIRATORY SENSITIZATION: CATERGORY 1

SKIN IRRITATION: CATEGORY 2

EYE IRRITATION: CATEGORY 2A

SKIN SENSITIZATION: CATEGORY 1

GHS LABEL ELEMENTS

HAZARD PICTOGRAMS



SIGNAL WORD: DANGER

HAZARD STATEMENTS

H315+H319: CAUSES SKIN IRRITATION AND CAUSES SERIOUS EYE IRRITATION

H317+H334: MAY CAUSE ALLERGIC SKIN REACTION AND MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED.

PRECAUTIONARY STATEMENTS:

PREVENTION

P260: DO NOT BREATHE DUSTS OR MISTS

P264: WASH SKIN THOROUGHLY AFTER HANDLING

P280: WEAR PROTECTIVE GLOVES/ PROTECTIVE CLOTHING/ EYE PROTECTION/ FACE PROTECTION

RESPONSE

P302+P352: IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P305+P351+P338: IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO SO. CONTINUE RINSING.

P333+P313: IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION

P337+P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION

P361+P364: TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE

P391: COLLECT SPILLAGE

DISPOSAL

P501: DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT

OTHER HAZARDS

NO DATA AVAILABLE

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	Wt. %	CAS Number
ETHYLENEDIAMINE	<2.0	107-15-3

SECTION 4. FIRST AID MEASURES

GENERAL: IMMEDIATELY REMOVE ANY CLOTHING SOILED BY PRODUCT.

EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

SKIN: REMOVE PRODUCT AND FLUSH AFFECTED AREA WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

INHALATION: MOVE TO FRESH AIR. GIVE ASSISTED RESPIRATION IF BREATHING HAS STOPPED OR IS LABORED (CALL A PHYSICIAN).

INGESTION: GIVE 3 – 4 GLASSES OF WATER OR MILK IF PERSON CONSCIOUS. DO NOT INDUCE VOMITING! OBTAIN MEDICAL CARE AND TREATMENT.

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT: 104 C (219.2°F) TCC
FLAMMABLE LIMITS: LEL: ND UEL: ND
OSHA CLASS: NOT REGULATED
SENSITIVITY TO IMPACT: ND
SENSITIVITY TO STATIC DISCHARGE: ND

AUTO IGNITION TEMP: ND
CONDITIONS OF FLAMMABILITY: NA

EXTINGUISHING MEDIA: IGNITION MAY GIVE RISE TO A CLASS B FIRE. IN CASE OF FIRE USE: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM.
SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. WATER SPRAY IS USEFUL IN COOLING FIRE-EXPOSED VESSELS AND IN DISPERSING VAPORS.
UNUSUAL FIRE AND EXPLOSIVE HAZARDS: MAY GENERATE TOXIC OR IRRITATING COMBUSTION PRODUCTS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SHUT OFF SOURCES OF IGNITION. COVER SPILLS WITH ABSORBENT. PLACE IN METAL CONTAINERS FOR RECOVERY OR DISPOSAL. PREVENT ENTRY INTO SEWERS, STORM DRAINS, AND WATERWAYS.

SECTION 7. HANDLING AND STORAGE

GENERAL: STORE IN COOL, WELL VENTILATED AREAS. KEEP AWAY FROM HEAT AND OPEN FLAMES. DO NOT INHALE HEATED VAPORS OR MISTS. AVOID PROLONGED SKIN CONTACT.
STORAGE: AVOID TEMPERATURE EXTREMES. STORE AWAY FROM EXCESSIVE HEAT, FROM SOURCES OF IGNITION AND FROM REACTIVE MATERIALS.

SECTION 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

INGREDIENTS (CAS)	EXPOSURE LIMITS (ppm)		
	OSHA	ACGIH	OTHER
	TWA STEL	TWA STEL	
107-15-3	10PPM NE	NE NE	

LEGEND: (M) MAX. EXPOSURE LIMIT; (S) OCCUPATIONAL EXP. LIMIT; (R) SUPPLIERS REC. LIMIT, (+) PERCUTANEOUS RISK

NOTE 1: VALUES MEANINGFUL ONLY WHEN HARDENED PRODUCT IS ABRADED, GROUND, ETC.
ENGINEERING CONTROLS: NO SPECIFIC CONTROLS NEEDED. GENERAL AND LOCAL EXHAUST RECOMMENDED.

RESPIRATORY PROTECTION: NONE REQUIRED IN ADEQUATELY VENTILATED AREAS. IF VAPOR CONCENTRATION EXCEEDS 20ppm FOR LONGER THAN 15 MINUTES, A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS IS RECOMMENDED.

PROTECTIVE GLOVES: PROTECTIVE GLOVES THAT ARE IMPERMEABLE AND RESISTANT TO THE PRODUCT.

EYE PROTECTION: SPLASH-PROOF GOGGLES OR CHEMICAL SAFETY GLASSES

OTHER PROTECTIVE EQUIPMENT: LONG SLEEVED SHIRTS AND TROUSERS. EMERGENCY SHOWERS AND EYE WASH STATIONS SHOULD BE READILY ACCESSIBLE.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: ND
VAPOR PRESSURE: ND
VAPOR DENSITY: ND (AIR = 1)
SOLUBILITY IN WATER: INSOLUBLE
COEFFICIENT of WATER/OIL DISTRIBUTION: ND
APPEARANCE AND ODOR: RED-BROWN LIQUID, AMINE-LIKE ODOR
% VOLATILES BY VOLUME: ND

SPECIFIC GRAVITY: ND
MELTING POINT: ND
EVAPORATION RATE: ND
pH: NA
FLASH POINT: >100 C (>212 F)
% SOLIDS BY WEIGHT: ND

SECTION 10. STABILITY AND REACTIVITY

STABILITY: STABLE;
CONDITIONS TO AVOID: NOT APPLICABLE (MATERIAL IS STABLE)
INCOMPATIBILITY (MATERIAL TO AVOID): NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS: NONE KNOWN
HAZARDOUS POLYMERIZATION (REACTIVITY): WILL NOT OCCUR.

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

ACUTE ORAL TOXICITY

VERY LOW TOXICITY IF SWALLOWED. HARMFUL EFFECTS NOT ANTICIPATED FROM SWALLOWING SMALL AMOUNTS LD50, (RAT) 866 mg/kg

ACUTE DERMAL TOXICITY

PROLONGED SKIN CONTACT IS UNLIKELY TO RESULT IN ABSORPTION OF HARMFUL AMOUNTS LD50, (RABBIT) 560 mg/kg

ACUTE INHALATION TOXICITY

AT ROOM TEMPERATURE, EXPOSURE TO VAPOR IS MINIMAL DUE TO LOW VOLATILITY. VAPOR FROM HEATED MATERIAL, MIST OR AEROSOLS MAY CAUSE RESPIRATORY IRRITATION. LC50, (RAT) 14.7 mg/l

SKIN CORROSION/IRRITATION

IRRITANT TO SKIN AND MUCOUS MEMBRANES

SERIOUS EYE DAMAGE/EYE IRRITATION

IRRITATING EFFECT

SENSITIZATION

FOR SIMILAR MATERIAL(S):

HAS CAUSED ALLERGIC SKIN REACTIONS IN HUMANS.

SENSITIZATION POSSIBLE THROUGH SKIN CONTACT.

FOR RESPIRATORY SENSITIZATION:

SENSITIZATION POSSIBLE THROUGH INHALATION

CARCINOGENIC DATA: NTP: NONE OSHA: NONE IARC: NONE
TERATOGENICITY: NO **MUTAGENICITY:** NO
EMBRYOTOXICITY: NO **SYNERGISTIC MATERIAL:** NO

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

ACUTE TOXICITY TO FISH

MATERIAL IS MODERATELY TOXIC TO AQUATIC ORGANISMS ON AN ACUTE BASIS (LC50/EC50 BETWEEN 1 AND 10 mg/l IN THE MOST SENSITIVE SPECIES TESTED)

LC50, ONCORHYNCHUS MYKISS (RAINBOW TROUT), SEMI-STATIC TEST. HAS NOT BEEN DETERMINED

ACUTE TOXICITY TO AQUATIC INVERTEBRATES

EC50, DAPHNIA MAGNA (WATER FLEA), STATIC TEST, 48 HR, HAS NOT BEEN DETERMINED

ACUTE TOXICITY TO ALGAE/AQUATIC PLANTS

ErC50, SCENEDESMUS CAPRICORNUTUM (FRESH WATER ALGAE), STATIC TEST, 72 HR, GROWTH RATE INHIBITION HAS NOT BEEN DETERMINED.

TOXICITY TO BACTERIA

IC50, BACTERIA, 18 HR, RESPIRATION RATES HAS NOT BEEN DETERMINED

CHRONIC AQUATIC TOXICITY

CHRONIC TOXICITY TO AQUATIC INVERTEBRATES

MATC (MAXIMUM ACCEPTABLE TOXICANT LEVEL), DAPHNIA MAGNA, SEMI STATIC TEST, 21 d, NUMBER OF OFFSPRING, HAS NOT BEEN DETERMINED

PERSISTANCE AND DEGRADABILITY

BIODEGRADABILITY: BASED ON STRINGENT OECD TEST GUIDELINES, THIS MATERIAL CANNOT BE CONSIDERED READILY BIODEGRADABLE; HOWEVER, THESE RESULTS DO NOT NECESSARILY MEAN THAT THE MATERIAL IS NOT BIODEGRADABLE UNDER ENVIRONMENTAL CONDITIONS.

SECTION 13. DISPOSAL INFORMATION

WASTE DISPOSAL METHODS: DISPOSAL MUST BE MADE ACCORDING TO OFFICIAL REGULATIONS.

SECTION 14. TRANSFORMATION INFORMATION

DOT PROPER SHIPPING NAME: NOT REGULATED AS DANGEROUS GOODS **HAZARD CLASS:** NOT HAZARDOUS

UN NUMBER: NON HAZARDOUS FOR TRANSPORT

PACKAGING GROUP: NON HAZARDOUS FOR TRANSPORT

SEGREGATION CODE: NON HAZARDOUS FOR TRANSPORT

HAZARD LABEL: NON HAZARDOUS FOR TRANSPORT

HAZARD PLACARD: NON HAZARDOUS FOR TRANSPORT

IMO SHIPPING DATA: NON HAZARDOUS FOR TRANSPORT

ICAO/IATA SHIPPING DATA: NON HAZARDOUS FOR TRANSPORT

SEGREGATION GROUPS: NON HAZARDOUS FOR TRANSPORT

SECTION 15. REGULATORY INFORMATION

VOC COMPONENT: 0 grams/Liter **AS APPLIED:** 0 grams/Liter (PART OF MULTI-COMPONENT SYSTEM)

TSCA (TOXIC SUBSTANCE CONTROL ACT): ALL COMPONENTS ARE LISTED IN THE TSCA CHEMICAL SUBSTANCE INVENTORY.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION and LIABILITY ACT): ND

SARA TITLE III

SECTION 312 HAZARD CLASS: NONE OF THE INGREDIENTS IS LISTED

SECTION 313 LISTED INGREDIENTS: NONE ABOVE de Minimus LEVELS

CALIFORNIA PROPOSITION 65: THE BELOW LIST OF COMPOUNDS IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM: NONE.

SECTION 16. ADDITIONAL INFORMATION

INITIAL ISSUE DATE: APRIL 20, 2023

REVISION DATE:

PREPARED BY: C.STOKES

HAZARD RATING

HMIS: HEALTH 2 FLAMMABILITY 1 REACTIVITY 0

LEGEND

ACGIH: AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

OSHA: OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

STEL: SHORT TERM EXPOSURE LIMIT

TWA: TIME WEIGHTED AVERAGE

PEL: PERMISSIBLE EXPOSURE LIMIT

TLV: THRESHOLD LIMIT VALUE

NA: NOT APPLICABLE

NE: NOT ESTABLISHED

ND: NO DATA

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.